ELSEVIER

Neuroscience Letters 253 (1998) 208–210

Neuroscience Letters

Contents to Volume 253

Volume 253, no. 1

Guidelines for the submission of manuscripts v

Ba^{2+} does not support synaptic vesicle retrieval in rat cerebrocortical synaptosomes
M.A. Cousin, P.J. Robinson (Australia) 1

Entropy maps characterize drug effects on brain dynamics in Alzheimer's disease
L. Pezard, J. Martinerie, F.J. Varela, F. Bouchet, D. Guez, C. Derouesné, B. Renault (France) 5

Potentiation of *N*-methyl-D-aspartate currents by isoproterenol in the acutely dissociated rat amygdalar neurons
C.-C. Huang, C.-H. Lin, P.-W. Gean (Taiwan) 9

The native form of α-synuclein is not found in the cerebrospinal fluid of patients with Parkinson's disease or normal controls
M.W. Jakowec, G.M. Petzinger, S. Sastry, D.M. Donaldson, A. McCormack, J.W. Langston (USA) 13

Levels and molecular forms of chromogranins in human childhood neuroblastomas and ganglioneuromas
U. Eder, R. Fischer-Colbrie, P. Kogner, B. Leitner, P. Bjellerup, H. Winkler (Austria, Sweden) 17

Contralateral inhibitory control of spinal nociceptive transmission in rats with chronic peripheral nerve injury
M.L. Sotgiu, G. Biella (Italy) 21

The mGluRs group II agonist (2*S*,3*S*,4*S*)-alpha-carboxycyclopropyl-glycine induces catalepsy in the rat, which is pronouncedly antagonised by dizocilpine and D,L-Amphetamine
U.O. Kronthaler, W.J. Schmidt (Germany) 25

Perinatal exposures to rotating magnetic fields 'demasculinize' neuronal density in the medial preoptic nucleus of male rats
S. Mulligan, M.A. Persinger (Canada) 29

Neuropeptide Y (NPY) or fragment NPY 13–36, but not NPY 18–36, inhibit retinotectal transfer in cane toads *Bufo marinus*
W.W. Schwippert, A. Röttgen, J.-P. Ewert (Germany) 33

Bcl-x_L inhibits different apoptotic pathways in rat PC12 cells
L. Lindenboim, R. Haviv, R. Stein (Israel) 37

Influence of a voluntary fatigue test on the contralateral homologous muscle in humans?
I. Zijdewind, M.J. Zwarts, D. Kernell (The Netherlands) 41

Peripherally administered tetrahydrobiopterin increases in vivo tryptophan hydroxylase activity in the striatum after transplantation of fetal ventral mesencephalon in six hydroxydopamine lesioned rats
Y. Ishida, K. Todaka, I. Kuwahara, H. Hashiguchi, Y. Ishizuka, H. Nakane, Y. Mitsuyama (Japan) 45

Localization of the neurokinin 1 (NK-1) receptor in the human antrum and duodenum
V.C. Smith, M.A. Sagot, J.-Y. Couraud, A.M.J. Buchan (Canada, France) 49

Phencyclidine-like discriminative stimulus effects of polyamine modulators of *N*-methyl-D-aspartate receptor activity in rats
K.L. Nicholson, R.L. Balster (USA) 53

Localization of GABA transaminase immunoreactivity in the rat substantia nigra pars reticulata
K.K.L. Yung, Y.C. Tse, Z.G. Gao, S.Y. Choi, F.S.L. Kwok (Hong Kong, South Korea) 57

Serotonergic modulation of eye blinks in cat and monkey
M.S. LeDoux, J.F. Lorden, J.M. Smith, L.E. Mays (USA) 61

Relationship between nerve and muscle fiber conduction velocities of the same motor unit in man
Y. Okajima, H. Toikawa, K. Hanayama, T. Ohtsuka, A. Kimura, N. Chino (Japan) 65

Partial biochemical characterization of nitric oxide synthase in the caudal spinal cord of the teleost *Oreochromis niloticus*
C. Cioni, N. Francia, C. Fabrizi, M. Colasanti, G. Venturini (Italy) 68

Increased serum neuron specific enolase concentrations in patients with hyperglycemic cortical ischemic stroke
G. Sulter, J.W. Elting, J. De Keyser (The Netherlands) 71

Volume 253, no. 2

Reduced nicotinamide adenine dinucleotide phosphate-diaphorase activity in the paraventricular nucleus of the rat hypothalamus is modulated by estradiol
F. Sánchez, M.E. Martinez, M. Rubio, J. Carretero, M.N. Moreno, R. Vázquez (Spain) 75

Stimulation of the neostriatum induces jaw-opener muscle activity, but not jaw-closer muscle activity: an electromyographic study in the rat
M. Hashimoto, N. Amano (Japan) 79

Horizontal cells of the rat retina show choline acetyltransferase- and vesicular acetylcholine transporter-like immunoreactivities during early postnatal developmental stages
I.-B. Kim, D.-K. Park, S.-J. Oh, M.-H. Chun (South Korea) 83

ELSEVIER

Neuroscience Letters 253 (1998) 208–210

Neuroscience Letters

Contents to Volume 253

Volume 253, no. 1

Guidelines for the submission of manuscripts v

Ba^{2+} does not support synaptic vesicle retrieval in rat cerebrocortical synaptosomes
M.A. Cousin, P.J. Robinson (Australia) 1

Entropy maps characterize drug effects on brain dynamics in Alzheimer's disease
L. Pezard, J. Martinerie, F.J. Varela, F. Bouchet, D. Guez, C. Derouesné, B. Renault (France) 5

Potentiation of *N*-methyl-D-aspartate currents by isoproterenol in the acutely dissociated rat amygdalar neurons
C.-C. Huang, C.-H. Lin, P.-W. Gean (Taiwan) 9

The native form of α-synuclein is not found in the cerebrospinal fluid of patients with Parkinson's disease or normal controls
M.W. Jakowec, G.M. Petzinger, S. Sastry, D.M. Donaldson, A. McCormack, J.W. Langston (USA) 13

Levels and molecular forms of chromogranins in human childhood neuroblastomas and ganglioneuromas
U. Eder, R. Fischer-Colbrie, P. Kogner, B. Leitner, P. Bjellerup, H. Winkler (Austria, Sweden) 17

Contralateral inhibitory control of spinal nociceptive transmission in rats with chronic peripheral nerve injury
M.L. Sotgiu, G. Biella (Italy) 21

The mGluRs group II agonist (2*S*,3*S*,4*S*)-alpha-carboxycyclopropyl-glycine induces catalepsy in the rat, which is pronouncedly antagonised by dizocilpine and D,L-Amphetamine
U.O. Kronthaler, W.J. Schmidt (Germany) 25

Perinatal exposures to rotating magnetic fields 'demasculinize' neuronal density in the medial preoptic nucleus of male rats
S. Mulligan, M.A. Persinger (Canada) 29

Neuropeptide Y (NPY) or fragment NPY 13–36, but not NPY 18–36, inhibit retinotectal transfer in cane toads *Bufo marinus*
W.W. Schwippert, A. Röttgen, J.-P. Ewert (Germany) 33

Bcl-x_L inhibits different apoptotic pathways in rat PC12 cells
L. Lindenboim, R. Haviv, R. Stein (Israel) 37

Influence of a voluntary fatigue test on the contralateral homologous muscle in humans?
I. Zijdewind, M.J. Zwarts, D. Kernell (The Netherlands) 41

Peripherally administered tetrahydrobiopterin increases in vivo tryptophan hydroxylase activity in the striatum after transplantation of fetal ventral mesencephalon in six hydroxydopamine lesioned rats
Y. Ishida, K. Todaka, I. Kuwahara, H. Hashiguchi, Y. Ishizuka, H. Nakane, Y. Mitsuyama (Japan) 45

Localization of the neurokinin 1 (NK-1) receptor in the human antrum and duodenum
V.C. Smith, M.A. Sagot, J.-Y. Couraud, A.M.J. Buchan (Canada, France) 49

Phencyclidine-like discriminative stimulus effects of polyamine modulators of *N*-methyl-D-aspartate receptor activity in rats
K.L. Nicholson, R.L. Balster (USA) 53

Localization of GABA transaminase immunoreactivity in the rat substantia nigra pars reticulata
K.K.L. Yung, Y.C. Tse, Z.G. Gao, S.Y. Choi, F.S.L. Kwok (Hong Kong, South Korea) 57

Serotonergic modulation of eye blinks in cat and monkey
M.S. LeDoux, J.F. Lorden, J.M. Smith, L.E. Mays (USA) 61

Relationship between nerve and muscle fiber conduction velocities of the same motor unit in man
Y. Okajima, H. Toikawa, K. Hanayama, T. Ohtsuka, A. Kimura, N. Chino (Japan) 65

Partial biochemical characterization of nitric oxide synthase in the caudal spinal cord of the teleost *Oreochromis niloticus*
C. Cioni, N. Francia, C. Fabrizi, M. Colasanti, G. Venturini (Italy) 68

Increased serum neuron specific enolase concentrations in patients with hyperglycemic cortical ischemic stroke
G. Sulter, J.W. Elting, J. De Keyser (The Netherlands) 71

Volume 253, no. 2

Reduced nicotinamide adenine dinucleotide phosphate-diaphorase activity in the paraventricular nucleus of the rat hypothalamus is modulated by estradiol
F. Sánchez, M.E. Martinez, M. Rubio, J. Carretero, M.N. Moreno, R. Vázquez (Spain) 75

Stimulation of the neostriatum induces jaw-opener muscle activity, but not jaw-closer muscle activity: an electromyographic study in the rat
M. Hashimoto, N. Amano (Japan) 79

Horizontal cells of the rat retina show choline acetyltransferase- and vesicular acetylcholine transporter-like immunoreactivities during early postnatal developmental stages
I.-B. Kim, D.-K. Park, S.-J. Oh, M.-H. Chun (South Korea) 83

Scopolamine impairs memory recall in *Octopus vulgaris*
G. Fiorito, C. Agnisola, M. d'Addio, A. Valanzano, G. Calamandrei (Italy) 87
Inhibition of apamin-sensitive calcium dependent potassium channels facilitate the induction of long-term potentiation in the CA1 region of rat hippocampus in vitro
T. Behnisch, K.G. Reymann (Germany) 91
Heparin inhibits induction of nitric oxide synthase by cytokines in rat brain microvascular endothelial cells
E. Bonmann, E. Jüttler, H.E. Krestel, M. Spranger (Germany) 95
Functional asymmetries of crossed and uncrossed medial olivocochlear efferent pathways in humans
B. Philibert, E. Veuillet, L. Collet (France) 99
Effects of movement direction upon kinematic characteristics of vertical arm pointing movements in man
C. Papaxanthis, T. Pozzo, P. Stapley (France) 103
Topographic study of human event-related potentials using a task requiring mental rotation
M. Inoue, A. Yoshino, A. Suzuki, T. Ogasawara, S. Nomura (Japan) 107
Effect of pregnane steroids on electrocortical activity and somatosensory evoked potentials in fetal sheep
M.B. Nicol, J.J. Hirst, D.W. Walker (Australia) 111
Eye-head coordination for the steering of locomotion in humans: an anticipatory synergy
R. Grasso, P. Prévost, Y.P. Ivanenko, A. Berthoz (Italy, France, Russia) 115
Mossy fibre innervation is not required for the development of kainic acid toxicity in organotypic hippocampal slice cultures
M. Gatherer, L.E. Sundstrom (UK) 119
The endogenous cannabinoid anandamide, but not the CB2 ligand palmitoylethanolamide, prevents the viscero-visceral hyper-reflexia associated with inflammation of the rat urinary bladder
S.I. Jaggar, S. Sellaturay, A.S.C. Rice (UK) 123
Participation of the prefrontal cortices in prospective memory: evidence from a PET study in humans
J. Okuda, T. Fujii, A. Yamadori, R. Kawashima, T. Tsukiura, R. Fukatsu, K. Suzuki, M. Ito, H. Fukuda (Japan) 127
Spike discharge regularity of vestibular neurons in labyrinthectomized guinea pigs
L. Ris, E. Godaux (Belgium) 131
The effects of modafinil on striatal, pallidal and nigral GABA and glutamate release in the conscious rat: evidence for a preferential inhibition of striato-pallidal GABA transmission
L. Ferraro, T. Antonelli, W.T. O'Connor, S. Tanganelli, F.A. Rambert, K. Fuxe (Italy, Ireland, France, Sweden) 135
β-Amyloid (1–42) peptide impairs blood-brain barrier function after intracarotid infusion in rats
G. Jancsó, F. Domoki, P. Sántha, J. Varga, J. Fischer, K. Orosz, B. Penke, A. Becskei, M. Dux, L. Tóth (Hungary) 139
Erratum 142

Volume 253, no. 3

The contribution of capsaicin-sensitive afferents to the dorsal root ganglion sprouting of sympathetic axons after peripheral nerve injury in the rat
C. Abbadie, A.I. Basbaum (USA) 143
Face-selective processing in human extrastriate cortex around 120 ms after stimulus onset revealed by magneto- and electroencephalography
K. Linkenkaer-Hansen, J.M. Palva, M. Sams, J.K. Hietanen, H.J. Aronen, R.J. Ilmoniemi (Finland, Denmark) 147
Atrial natriuretic factor does not affect norepinephrine catabolism in rat hypothalamus and adrenal medulla
M.S. Vatta, M. Rubio, L.G. Bianciotti, B.E. Fernandez (Argentina) 151
Enhanced brain activity preceding voluntary movement in early blind humans
A. Lehtokoski, T. Kujala, R. Näätänen, K. Alho (Finland) 155
Learned changes of brain states alter cognitive processing in humans
B. Mohr, F. Pulvermüller, H. Schleichert (Germany) 159
Expression of FAC1 in activated microglia during Alzheimer's disease
R. Bowser, S. Reilly (USA) 163
Effects of the P_2-purinoceptor antagonists suramin and pyridoxal-phosphate-6-azophenyl-2′,4′-disulfonic acid on glutamatergic synaptic transmission in rat dorsal horn neurons of the spinal cord
J.G. Gu, R. Bardoni, P.C. Magherini, A.B. MacDermott (USA, Italy) 167
The minimum duration of microgravity experience during space flight which affects the development of the roll induced vestibulo-ocular reflex in an amphibian (*Xenopus laevis*)
C. Sebastian, E. Horn (Germany) 171
Hippocampal volume and neuronal number in Ts65Dn mice: a murine model of down syndrome
A.M. Insausti, M. Megías, D. Crespo, L.M. Cruz-Orive, M. Dierssen, T.F. Vallina, R. Insausti, J. Flórez (Spain) 175
Monitoring brain activity of human subjects during delayed matching to sample tasks comparing verbal and pictorial stimuli with modal and cross-modal presentation: an event related potential study employing a source reconstruction method
C. Dobel, O. Hauk, E. Zobel, C. Eulitz, F. Pulvermüller, R. Cohen, P.W. Schönle, T. Elbert, B. Rockstroh (Germany) 179
The antinociceptive effect of moclobemide in mice is mediated by noradrenergic pathways
S. Schreiber, V. Getslev, A. Weizman, C.G. Pick (Israel) 183

Delayed loss of p75 neurotrophin receptor-immunoreactivity in the rat suprachiasmatic nucleus and intergeniculate leaflet after binocular enucleation
M.M. Moga (USA) 187
Capillary patency after transient middle cerebral artery occlusion of 2 h duration
P.-A. Li, J. Vogel, M.-l. Smith, Q.-P. He, W. Kuschinsky, B.K. Siesjö (USA, Germany, Sweden) 191
Abnormal structure of human striatal dopamine re-uptake sites in habitually violent alcoholic offenders: a fractal analysis
J.T. Kuikka, J. Tiihonen, K.A. Bergström, J. Karhu, P. Räsänen, M. Eronen (Finland) 195
Does tyrosinase exist in neuromelanin-pigmented neurons in the human substantia nigra?
K. Ikemoto, I. Nagatsu, S. Ito, R.A. King, A. Nishimura, T. Nagatsu (Japan, USA) 198
Blood–cerebrospinal fluid barrier impairment as indicator for an immune process in schizophrenia
M.J. Schwarz, M. Ackenheil, M. Riedel, N. Müller (Germany) 201

Author Index to Volume 253 204
Contents to Volume 253 208